

# Search History

L Number	Hits	Search Text	DB	Time stamp
1	30477	magnetic near2 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:21
2	180918	row and column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:21
3	69151	bitline or "bit line"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:22
4	1730574	cell or array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:22
5	110743	write near2 (data ot(bitline or "bit line"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:23
6	365579	driv\$4 near2 (circuit or current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:23
7	34989	column near2 select\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:24
8	17262	column near2 adjacent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:24
9	3345	(magnetic near2 memory) and (row and column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:24
10	819	((magnetic near2 memory) and (row and column)) and (bitline or "bit line")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:24
11	800	((((magnetic near2 memory) and (row and column)) and (bitline or "bit line"))) and (cell or array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:24
12	378	((((magnetic near2 memory) and (row and column)) and (bitline or "bit line"))) and (cell or array)) and (write near2 (data ot(bitline or "bit line")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:24
13	197	(((((magnetic near2 memory) and (row and column)) and (bitline or "bit line"))) and (cell or array)) and (write near2 (data ot(bitline or "bit line")))) and (driv\$4 near2 (circuit or current))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:24

14	139	(((((magnetic near2 memory) and (row and column)) and (bitline or "bit line")) and (cell or array)) and (write near2 (data ot(bitline or "bit line")))) and (driv\$4 near2 (circuit or current)) and (column near2 select\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:24
15	25	(((((magnetic near2 memory) and (row and column)) and (bitline or "bit line")) and (cell or array)) and (write near2 (data ot(bitline or "bit line")))) and (driv\$4 near2 (circuit or current)) and (column near2 select\$4)) and (column near2 adjacent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:24